



DiCOIL & GAS TOOLS
A Brand by Dedicated Impex Co.



**Cast Iron
Products**

DIC - 20 Mechanical Setting Tool

DIC-20 MST is designed to run and mechanically set the DIC-MCR Cement Retainer at any depth via tubing or drill pipe.

DATASHEET

Casing		Drag Block		20 MST	
Size (in.)	Weight (PPF)	Expanded (in.)	Collapsed (in.)	Min. I D	Connection
5 1/2"	17.0 - 23.0	5.15	4.5	0.75	2 3/8 " EU 8 RD
	13.0 - 17.0	5.25	4.6		
7.000"	29.0-38.0	6.355	5.5	1.25	2 7/8 " EU 8 RD
	17.0 - 32.0	6.93	5.92		
9 5/8"	32.0-61.0	9.19	8.235	1.25	2 7/8 " EU 8 RD

DIC - Wireline Set Cement Retainer

DATASHEET

Casing				Cement Retainer Details Maximum O D (in./mm.)
O D (in./ mm.)	Weight(lb/ft,kg/m)	I D (in./mm.)		
		Minimum	Maximum	
4 1/2 114.3	9.50 to 15.10 14.14 to 22.47	3.826	4.09	3.593
		97.18	103.89	91.26
5 127	11.50 to 18.0 17.11 to 26.79	4.276	4.56	3.937
		108.61	115.82	100
5 1/2 139.7	13.00 to 23.00 19.35 to 24.23	108.61	5.118	4.312
		118.62	130	109.52
5 3/4 146.1	14.00 to 25.00 20.83 to 37.50	4.89	5.29	4.7
		124.21	134.37	119.38
65/8 168.3	17.00 to 34.50 25.30 to 51.34	5.575	5.29	5.375
		141.61	155.83	136.53
7 117.8	17.00 to 35.00 25.30 to 52.09	6.004	6.538	5.688
		152.5	166.07	144.48
7 117.8	20.00 to 39.00 29.76 to 58.04	6.625	7.125	6.312
		168.28	180.98	160.32
85/8 219.1	24.00 to 49.00 35.72 to 72.92	7.511	8.097	7.125
		190.78	205.66	180.98
9 5/8 244.5	29.30 to 61.10 43.60 to 90.93	8.375	9.063	8.125
		212.73	230.2	206.38
10 3/4 273.05	32.75 to 60.70 48.74 to 90.33	9.66	10.192	9.44
		245.36	258.88	239.78



DIC Stinger Assembly

DIC Stinger Assembly is a tubing conveyed latching seal assembly used to operate the sliding valve in a wireline set CR Cement Retainer.

DATASHEET

Casing	Stringer Assembly	
Size(in.)	Weight(PPF)	Connection
5 1/2	13.0 - 23.0	2 3/8 " EU 8 RD
7	17.0 - 35.0	2 7/8 " EU 8 RD
9 5/8	29.3 - 61.1	2 7/8 " EU 8 RD

DIC-Retrieveable Bridge Plug

DATASHEET

Casing				Bridge Plug Maximum O D (in./mm.)
O D (in./ mm.)	Weight(lb/ft,kg/m)	I D (in./mm.)		
4 1/2 114.3	9.50 to 13.5	3.92	4.09	3.75
		99.57	103.89	95.25
5	11.5 to 15.0	4.408	4.56	4.28
		111.96	115.82	108.71
127	18.0 to 20.8	4.156	4.276	4
		105.56	108.61	101.6
5 1/2	20.0 to 23.0	105.56	4.778	4.5
		118.62	121.36	114.3
139.7	14.0 to 20.0	4.778	5.004	4.625
		121.36	127.101	117.48
6 5/8 168.3	24.0 to 32.0	5.675	5.921	5.5
		144.15	150.39	139.7
7	26.0 to 32.0	6.094	6.276	5.875
		154.79	159.41	149.23
117.8	20.0 to 26.0	6.276	6.456	5.969
		159.41	163.98	151.61
8 5/8 219.1	28.0 to 40.0	7.725	8.017	7.531
		196.22	203.63	191.29
9 5/8 244.5	40.0 to 53.5	8.535	8.835	8.25
		216.79	224.41	209.55
10 3/4 273.05	40.5 to 45.5	9.95	10.05	9.3
		252.73	255.27	236.22





DIC - UAE
DEDICATED IMPEX FZE

B.C. 1303260, Ajman Free Zone,
P.O. BOX: 47359, Ajman, UAE

info@dic-oiltools.com
(+971) 556721577



WE EXPORT WORLDWIDE

We Provide Innovative Solutions for Oil & Gas Industry