



DiCOIL & GAS
TOOLS

PIPE PROTECTION SOLUTIONS

info@dic-oiltools.com

www.dic-oiltools.com



QUALITY DRIVEN SOLUTIONS

We have carved a niche in tailoring quality oriented and state of the art products facilitate optimum service as well as solution for Oilfield Equipment's across the globe.

LONG TERM RELATIONSHIP

Our dedicated team thrive with pride on offering relentless, responsive and competitive services par excellence.

Our customers are undoubtedly an imperative and integral gear of our business mechanism and we value each and every aspect to ensure flawless operations.

FOCUS ON RELIABILITY

Trust & Faith embodied to weave stupendous reliability is the foundation of our industry.

DIC OIL AND GAS TOOLS is the leading Supplier of Pipe Protection Solutions for oil and Gas Industry.

DEDICATED IMPEX FZE

DIC Oil & Gas swaggering of global market leadership in designing and manufacturing Thread protector units, Line Pipe Protector-CAP, Packaging Frame and Bumper Rings.

We believed in enhanced quality over quantity approach, Thereby ensuring the fulfilment of product deadlines as well as elegance with near to zero human error.



THREAD PROTECTORS

THREAD PROTECTOR RANGE:

- Plastic Thread Protectors
- Drill Pipe Protectors
- Pressed Steel Thread Protectors
- Composite Thread Protectors
- Cast Steel Lifting Bails
- Clamp-on Casing Protectors
- Tubing & Casing Composite Thread Protectors
- Tubing & Casing HD Plastic Thread Protectors



PLASTIC THREAD PROTECTOR



We are renowned exporter of **PLASTIC THREAD PROTECTORS**. Our supplied products assured absolute thread engagement to check stripping /vibrating issues in pipes.

Our Thread Protectors are based on EUE, NUE, REG, NEW VAM, FH, PAC, VAM TOP HTPAC PIN/BOX, PH6 PIN/BOX, STC, LTC, BTC, REG, IF, FH, H90, XT, HT, GPDS Thread Connections with complete coverage of seal areas to prevent tool joint damage.

Technical Specification:

Sizes	Thread Standard	Connection	HDPC Plastic	HD Plastic
2 3/8"	EUE, NUE, REG, NEW VAM, FH, PAC, VAM TOP HTPAC PIN/BOX, PH6 PIN/BOX	Pin/Box	✓	✓
NC31 (2 3/8")	IF	Pin/Box	✓	✓
2 7/8"	EUE, NUE, REG, NEW VAM, VAM TOP, FH PAC, HTPAC PIN/BOX, PH6 PIN/BOX	Pin/Box	✓	✓
NC31 (2 7/8")	IF	Pin/Box	✓	✓
3 1/2"	EUE, NUE, REG, NEW VAM, FH, VAM TOP, PAC, PH6 PIN/BOX	Pin/Box	✓	✓
NC38 (3 1/2")	IF	Pin/Box	✓	✓
4"	EUE, NUE, REG, NEW VAM, FH, PAC,	Pin/Box	✓	✓
NC 46(4")	IF	Pin/Box	✓	✓
4 1/2"	EUE, NUE, STC, BTC, LTC, REG, NEW VAM, FH, PAC, PH6 PIN/BOX	Pin/Box	✓	✓
NC 50 (4 1/2")	IF	Pin/Box	✓	✓
5"	STC, LTC, BTC, NEW VAM, REG, IF, FH, PAC	Pin/Box	✓	✓
5 1/2"	STC, LTC, BTC, REG, VAM TOP, FH, VAM TOP, IF, NEW VAM, PAC	Pin/Box	✓	✓
6"	STC, LTC, BTC, NEW VAM, REG, IF, FH, PAC	Pin/Box	✓	✓
6 5/8"	STC, LTC, BTC, NEW VAM, REG, IF, FH, PAC	Pin/Box	✓	✓

Technical Specification:

Sizes	Thread Standard	Connection	HDPC Plastic	HD Plastic
7"	STC, LTC, BTC, NEW VAM, REG, IF, FH, PAC, VAM TOP, NEW VAM	Pin/Box	✓	✓
7 5/8"	STC, LTC, BTC, NEW VAM, REG, IF, FH, PAC	Pin/Box	✓	✓
8 5/8"	STC, LTC, BTC, VAM, REG, IF, FH, PAC	Pin/Box	✓	✓
9 5/8"	STC, LTC, BTC, VAM TOP, NEW VAM	Pin/Box	✓	✓
10 3/4"	STC, LTC, BTC	Pin/Box	✓	✓
11 3/4"	STC, LTC, BTC	Pin/Box	✓	✓
13 3/8"	STC, LTC, BTC	Pin/Box	✓	✓
16"	STC, LTC, BTC	Pin/Box	✓	✓
18 5/8"	STC, LTC, BTC	Pin/Box	✓	✓
20"	STC, LTC, BTC	Pin/Box	✓	✓
24, 31, 34, 38, 39, 40, 50, 54, 57, 43	XT	Pin/Box	✓	✓
26, 57, 38, 40, 55, A50	HT	Pin/Box	✓	✓
31, 38, 40, 42, 46, 50, 55, 65	GPDS	Pin/Box	✓	✓
550	TT	Pin/Box	✓	✓

DRILL PIPE THREAD PROTECTOR



DIC **DRILL PIPE PROTECTORS** are engineered to cover the entire thread form and seal area on both internal and external drill pipe threads.

Our varied sizes from AMMT, REG,IF, HT PAC, PAC, PH6, BECO, FIG 602, FH, H90, NC23, NC26, NC31, NC38, NC40, NC46, NC50, NC56, NC61, MT34, MT39, MT54, MT57, XT39, XT50, XT54, XT57, VX39/VX54/VX57, DS50, HT26, HT38, HT40, HT50, HT55, GPDS38, GPDS65, NC38 DSTJ meet the distinct needs of your business.

Technical Specification:

OD Pipe (mm)	Size	Thread	HDPC Plastic	(CENL)	(CEL)
60.33	2 3/8"	IF, NU, EU,PAC, REG PIN	✓	✓	✓
73.03	2 7/8"	NU, EU, REG, EUE, IF, PAC, PH6 PIN/BOX, HTPAC BOX	✓	✓	✓
88.9	3 1/2"	NU, EU, REG, IF	✓	✓	✓
114.1	4 1/2"	REG, IF, Pin, NU, EU, STC, LTC, BTC, REG PIN/BOX, H-90, IF, PH6 PIN/BOX	✓	✓	✓
127	5"	H-90, LTC, BTC	✓	✓	✓
139.7	5 1/2"	FH, IF, REG, STC, LTC, BTC, FH DSTJ, FH PIN, FH BOX	✓	✓	✓
168.3	6 5/8"	REG, IF, REG PIN, REG BOX, H-90 PIN, BTC, FH, FH PIN/BOX	✓	✓	✓
177.8	7"	STC, LTC, BTC	✓	✓	✓
193.7	7 5/8"	REG, IF, H-90 Pin, BTC, LTC, REG PIN, REG BOX	✓	✓	✓
219.1	8 5/8"	REG, STC, LTC, BTC	✓	✓	✓
244.5	9 5/8"	STC, LTC, BTC	✓	✓	✓
272.1	10 3/4"	STC, BTC	✓	✓	✓
339.7	13 3/8"	STC, BTC	✓	✓	✓
508	20"	STC, BTC	✓	✓	✓
Drill Pipe	NC26 (2 3/8")	IF	✓	✓	✓

We are considered as the best by our clients because we can also manufacture as per customers specific requirements.

Technical Specification:

OD Pipe (mm)	Size	Thread	HDPC Plastic	(CENL)	(CEL)
Drill Pipe	NC31 (2 7/8")	IF	✓	✓	✓
	NC38 (3 1/2")	IF	✓	✓	✓
	NC50(4 1/2")	IF	✓	✓	✓
	NC40 (4")	FH	✓	✓	✓
	NC46(4")	IF	✓	✓	✓
	NC23, NC35, NC44, NC52, NC56, NC61, NC70	-	✓	✓	✓
	N38, NC40, NC50	DSTJ	✓	✓	✓
	2 3/8"	REG	✓	✓	✓
	2 7/8"	REG, PAC, PAC DS, HTPAC	✓	✓	✓
	3 1/2"	REG, FH	✓	✓	✓
	4"	FH	✓	✓	✓
	4 1/2"	REG, XH, FH	✓	✓	✓
	5 1/2"	REG, IF, FH DSTJ	✓	✓	✓
	6 5/8"	REG, FH, IF	✓	✓	✓

PRESSED STEEL THREAD PROTECTOR



Our Premium Quality **PRESSED STEEL THREAD PROTECTORS** are manufactured at our purpose built factory under comprehensive tests to ensure highest performance standards.

Our ranges of Pressed Steel Thread Protectors are specially designed to protect the pipe thread & ends during normal handling & transportation.

The standard Threads and Sizes available are as follows.

Technical Specification:

Size	Thread	PIN/BOX	Steel
2-3/8"	REG, EUE, IF, PAC	PIN/BOX	✓
NC26 (2 3/8")	IF	PIN/BOX	✓
2-7/8"	EUE, REG, IF, PAC, PAC DS, HT PAC, DS, L.H	PIN/BOX	✓
NC31 (2 7/8")	IF	PIN/BOX	✓
3-1/2"	EUE, REG, IF, FH, DS, L.H, XH	PIN/BOX	✓
NC38 (3 1/2")	IF	PIN/BOX	✓
4"	IF, FH, IF DS, LH	PIN/BOX	✓
NC40 (4")	FH	PIN/BOX	✓
NC46 (4")	IF	PIN/BOX	✓
4-1/2"		PIN/BOX	✓
NC50 (4 1/2")	IF	PIN/BOX	✓
5"	LTC, BTC	PIN/BOX	✓
5-1/2"	REG, IF, FH, DSTJ, DS	PIN/BOX	✓
NC56		PIN/BOX	✓
6-5/8"	REG, FH, DS, LH, H90	PIN/BOX	✓
7"	STC, LTC, BTC	PIN/BOX	✓
7-5/8"	REG, LH, LTC, BTC, H90	PIN/BOX	✓
8-5/8"	STC, LTC, BTC, H90	PIN/BOX	✓
9-5/8"	STC,LTC,BTC	PIN/BOX	✓

Also, these Thread Protectors can be customized as per customer requirement or drawing.

Technical Specification:

Size	Thread	PIN/BOX	Steel
10-3/4"	STC, BTC	PIN/BOX	✓
13-3/8"	STC, BTC	PIN/BOX	✓
20"	STC, BTC, IF	PIN/BOX	✓
24, 29, 31, 34, 38, 39, 40,43, 50, 54, 57,	XT	PIN/BOX	✓
26, 38, 40, 50, 55	HT	PIN/BOX	✓
55	TT	PIN/BOX	✓
38	GPDS	PIN/BOX	✓
40	GPDS	PIN/BOX	✓
42	GPDS	PIN/BOX	✓
46	GPDS	PIN/BOX	✓
50	GPDS	PIN/BOX	✓
55	GPDS	PIN/BOX	✓
65	GPDS	PIN/BOX	✓
31	GPDS	PIN/BOX	✓

COMPOSITE THREAD PROTECTOR



These **COMPOSITE THREAD PROTECTORS**, protect Thread Length & seal face to prevent stripping loosening or ingress of debris and corrosion which will damage the Thread.

These Thread Protectors can be made as STC, LTC, BTC, NEW VAM, REG, IF, FH, H90, NC23 NC26, NC31, NC38, NC40, NC44, NC50, NC52, NC61, NC70 DSTJ threads and connections. These Thread Protectors can be manufactured in Black, Red, Yellow, Blue, and Green.

Technical Specification:

Sizes	Thread	HDPE Plastic & Steel	(CEL)	(CENL)	(CE)
2 3/8"	NUE, EUE, VAM TOP, PAC	✓	✓	✓	✓
NC26 (2 3/8")	IF	✓	✓	✓	✓
2 7/8"	NUE, EUE, VAM TOP, REG, PAC	✓	✓	✓	✓
NC26 (2 7/8")	IF	✓	✓	✓	✓
3 1/2"	NUE, EUE, VAM TOP, REG, IF	✓	✓	✓	✓
NC38 (3 1/2")	IF	✓	✓	✓	✓
4"	NUE, EUE, LTC, VAM TOP	✓	✓	✓	✓
NC40 (4")	FH	✓	✓	✓	✓
NC46 (4")	IF	✓	✓	✓	✓
4 1/2"	STC, LTC, BTC, NEW VAM, REG, IF, H90	✓	✓	✓	✓
NC 50 (4 1/2")	IF	✓	✓	✓	✓
5"	STC, LTC, BTC, NEW VAM, REG, IF, H90	✓	✓	✓	✓
5 1/2"	STC, LTC, BTC, NEW VAM, FH DSTJ	✓	✓	✓	✓
6 5/8"	STC, LTC, BTC, NEW VAM, REG, IF, FH, H90	✓	✓	✓	✓
7"	STC, BTC, LTC, NEW VAM	✓	✓	✓	✓
7 5/8"	STC, BTC, LTC, NEW VAM, REG, IF, H90	✓	✓	✓	✓

Technical Specification:

Sizes	Thread	HDPE Plastic & Steel	(CEL)	(CENL)	(CE)
8 5/8"	STC, LTC, BTC, NEW VAM, REG	✓	✓	✓	✓
9 5/8"	STC, LTC, BTC, NEW VAM	✓	✓	✓	-
10 3/4"	STC, LTC, BTC, NEW VAM	✓	✓	✓	-
13 3/8"	STC, LTC, BTC, NEW VAM	✓	✓	✓	-
16"	STC, LTC, BTC, NEW VAM	✓	✓	✓	-
16 3/4"	STC, LTC, BTC, NEW VAM	✓	✓	✓	-
18 5/8"	STC, LTC, BTC, NEW VAM	✓	✓	✓	-
20"	STC, LTC, BTC, NEW VAM	✓	✓	✓	-
NC23	-	✓	✓	-	-
NC26	-	✓	-	-	✓
NC31	-	✓	-	-	✓
NC35	-	✓	✓	-	✓
NC38	DSTJ	✓	✓	-	✓
NC40	DSTJ	✓	✓	-	✓
NC44	-	✓	✓	-	-
NC50	DSTJ	✓	✓	✓	✓
NC52	-	✓	✓	-	-
NC56	-	✓	✓	-	✓
NC61	-	✓	✓	-	✓
NC70	-	✓	✓	-	✓

CAST STEEL LIFTING BAILS



We are Manufacturer and Exporter of **CAST STEEL LIFTING BAILS**. These lifting bails Thread Protectors for lifting tool joints, drill pipe, drill collars, and drill bits.

These Thread Protectors can be made as REG, IF, FH, XH, H-90 and NC Connection. These are available in 2-3/2" to 8-5/8" sizes and can be manufactured in Red, Yellow and Green.

Technical Specification:

OD Range	Connection	Size/type	Std. Pin Protector wgt	Std. Box Protector wgt	Std. weight/set
-	-	-	lb	lb	lb
3-1/8" - 3-1/2"	-	NC 23	6	6	12
	-	2-3/8" Reg	6	6	12
	NC 26	2-3/8" IF	6	6	12
	-	2-7/8" PAC	6	6	12
4 - 4-3/8"	NC 31	2-7/8" IF	9	9	18
	-	2-7/8" XH	9	9	18
	-	3-1/2" Reg	10	10	20
4-1/2" - 5-1/8"	-	NC 35	12	10	22
	NC 38	3-1/2" IF	10	10	20
	-	3-1/2" XH	10	10	20
5 - 5-3/4"	NC 40	4" FH	17	17	34
5-3/4" - 6-1/4"	-	4-1/2" Reg	15	17	32
	-	4-1/2" FH	15	17	32

These Thread Protectors provide lifting points when the Drill Tools require picking up or laying down.

Technical Specification:

OD Range	Connection	Size/type	Std. Pin Protector wgt	Std. Box Protector wgt	Std. weight/set
6-1/4" - 6-3/4"	NC 46	4"IF	16	21	37
	-	4-1/2" H90	16	21	37
		4-1/2"IF	15	21	36
6-3/4" - 7-1/4"	NNC 50	5-1/2" Reg	31	27	58
	-	5-1/2" H90	30	27	57
7-1/4" - 8-1/4"	-	5-1/2" FH	30	28	58
	-	6-5/8" Reg	27	28	55
	-	6-5/8" H90	30	30	60
8-1/4" - 9"	-	NC 61	32	32	64
9" - 10"	-	7 5/8" Reg	39	33	72
	-	7 5/8 H-90	52	42	94
10" - 11"	-	8 5/8 Reg	50	46	96
	-	8 5/8 H-90	60	55	21

CLAMP-ON CASING PROTECTORS



We are Manufacturer and Exporter of **CLAMP-ON CASING PROTECTOR**. These Thread Protectors are made of high quality urethane & superior grade of tough special polymers and polyurethane to protect casing or tubing threads.

These Thread Protectors can be made as LTC, BTC, NEW VAM Threads. These are available in from 4 1/2" to 30 " sizes and can be manufactured in Black, Red, and Yellow.

Technical Specification:

Model	Applicable Diameter of Tubing (in)	Urethane & Rubber
4 1/2	4 1/2 casing	✓
5	5 casing	✓
5 1/2	5 1/2 casing	✓
6 5/8	6 5/8 casing	✓
7	7 Casing	✓
7 3/4	7 3/4 casing	✓
7 5/8	7 5/8 casing	✓
9 5/8	9 5/8 casing	✓
10 3/4	10 3/4 casing	✓
13 1/2	13 1/2 casing	✓
13 3/8	13 3/8 casing	✓
13 5/8	13 5/8 casing	✓
18 5/8	18 5/8 casing	✓
20	20 casing	✓
22	22 casing	✓
24	24 casing	✓
24 1/2	24 1/2 casing	✓
26	26 casing	✓
27	27 casing	✓
28	28 casing	✓
30	30 casing	✓

TUBING & CASING COMPOSITE PROTECTORS



We are Manufacturer and Exporter of **TUBING AND CASING COMPOSITE THREAD PROTECTORS**. These Thread Protectors can be manufactured in Black, Red, Yellow, Blue, and Green.

These Thread Protectors can be made as STC, LTC, BTC, NEW VAM, REG, IF FH, H90, NC23 NC26 NC31, NC38, NC40, NC44, NC50, NC52, NC61, NC70 DSTJ Threads and Connections.

Technical Specification:

Sizes	Thread Standard	HDPE Plastic	CEL	CENL
2 3/8"	NU, EU, NUE, EUE, REG, NC, IF, VAM TOP, OTTM	✓	✓	✓
NC31 (2 3/8")	IF	✓	✓	✓
2 7/8"	NU, EU, REG, PAC, PAC DS HT PAC,NUE, EUE, REG, NC, IF, VAM TOP, OTTM	✓	✓	✓
NC31 (2 7/8")	IF	✓	✓	✓
3 1/2"	NU, EU, REG, FH, NUE, EUE, REG, NC, IF, VAM TOP, OTTM	✓	✓	✓
NC38 (3 1/2")	IF	✓	✓	✓
4"	EU, FH, NUE, EUE, REG, NC, IF, VAM TOP, OTTM	✓	✓	✓
NC 46(4")	IF	✓	✓	✓
4 1/2"	ENU, EU, STC, LTC, BTC, REG, XH, FH, NUE, EUE, NC, IF, NEW VAM, VAM TOP, OTTM	✓	✓	✓
NC 50 (4 1/2")	IF	✓	✓	✓
5"	STC, LTC,BTC,STC, LTC, BTC,REG, NC, IF, NEW VAM, OTTM	✓	✓	✓
5 1/2"	STC, LTC, BTC, REG, NC, IF, NEW VAM, OTTM, FH DSTJ	✓	✓	✓
6"	BTC	✓	✓	✓
6 5/8"	STC, LTC, BTC, REG, NC, IF, NEW VAM, OTTM	✓	✓	✓

These Thread Protectors can be manufactured in Black, Red, Yellow, Blue, and Green.
Also, these Thread Protectors can be customized as per Customer Requirement or Drawing.

Technical Specification:

Sizes	Thread Standard	HDPE Plastic	CEL	CENL
7"	STC, LTC, BTC, REG, NC, IF, NEW VAM, OTTM	✓	✓	✓
7 5/8"	STC, LTC, BTC, REG, NC, IF, NEW VAM, OTTM	✓	✓	✓
8 5/8"	STC, LTC, BTC, REG, NC, IF, NEW VAM, OTTM	✓	✓	✓
9 5/8"	STC, LTC, BTC, REG, NC, IF, NEW VAM, OTTM	✓	✓	✓
10 3/4"	STC, LTC, BTC, REG, NC, IF, NEW VAM, OTTM	✓	✓	✓
11 3/4"	STC, LTC, BTC, REG, NC, IF, NEW VAM, OTTM	✓	✓	✓
13 3/8"	STC, LTC, BTC, REG, NC, IF, NEW VAM, OTTM	✓	✓	✓
18 5/8"	STC, LTC, BTC, REG, NC, IF, NEW VAM, OTTM	✓	✓	✓
20"	STC, LTC, BTC, REG, NC, IF, NEW VAM, OTTM	✓	✓	✓

The Composite Thread Protectors are in two types:

CENL : Closed End Non Lifiable Composite Thread Protector

CEL : Closed End Lifiable Composite Thread Protector

TUBING AND CASING HD PLASTIC PROTECTORS



We are Manufacturer and Exporter of **TUBING AND CASING HD PLASTIC PROTECTORS**. These Thread Protectors are specially designed with stainless steel handles to ensure quick gripping and removing from the Pipe Threads.

Thread Protectors can be made as per NU, EU, STC, LTC, BTC, REG, XH, FH, NUE, EUE, NC, IF, VAM, VAM TOP, OTTM Threads and Connections.

Technical Specification:

Sizes	Thread	HD Plastic
2 3/8"	NU, EU, NUE, EUE, REG, NC, IF, VAM, VAM TOP, OTTM	✓
NC26 (2 3/8")	IF	✓
2 7/8"	NU, EU, REG, PAC, PAC DS HT PAC, NUE, EUE, REG, NC, IF, VAM, VAM TOP, OTTM	✓
NC31 (2 7/8")	IF	✓
3 1/2"	NU, EU, REG, FH, NUE, EUE, REG, NC, IF, VAM, VAM TOP, OTTM	✓
NC38 (3 1/2")	IF	✓
4"	EU, FH, NUE, EUE, REG, NC, IF, VAM, VAM TOP, OTTM	✓
NC 46(4")	IF	✓
4 1/2"	NU, EU, STC, LTC, BTC, REG, XH, FH, NUE, EUE, NC, IF, VAM, VAM TOP, OTTM	✓
NC 50 (4 1/2")	IF	✓
5"	STC, LTC, BTC	✓
5 1/2"	STC, LTC, BTC, REG, XH, FH, NC, IF, VAM, VAM TOP, OTTM	✓
6 5/8"	STC, LTC, BTC, REG, XH, FH, NC, IF, VAM, VAM TOP, OTTM	✓
7"	STC, LTC, BTC, REG, XH, FH, NC, IF, VAM, VAM TOP, OTTM	✓

Thread Protectors can be made as per NU, EU, STC, LTC, BTC, REG, XH, FH, NUE, EUE, NC, IF, VAM, VAM TOP, OTTM Threads and Connections.

Technical Specification:

Sizes	Thread	HD Plastic
7 5/8"	STC, LTC, BTC, REG, XH, FH, NC, IF, VAM, VAM TOP, OTTM	✓
8 5/8"	STC, LTC, BTC, REG, XH, FH, NC, IF, VAM, VAM TOP, OTTM	✓
9 5/8"	STC, LTC, BTC, REG, XH, FH, NC, IF, VAM, VAM TOP, OTTM	✓
10 3/4"	STC, LTC, BTC, REG, XH, FH, NC, IF, VAM, VAM TOP, OTTM	✓
11 3/4"	STC, LTC, BTC, REG, XH, FH, NC, IF, VAM, VAM TOP, OTTM	✓
13 3/8"	STC, LTC, BTC, REG, XH, FH, NC, IF, VAM, VAM TOP, OTTM	✓
16"	STC, LTC, BTC, REG, XH, FH, NC, IF, VAM, VAM TOP, OTTM	✓
18 5/8"	STC, LTC, BTC, REG, XH, FH, NC, IF, VAM, VAM TOP, OTTM	✓
20"	STC, LTC, BTC, REG, XH, FH, NC, IF, VAM, VAM TOP, OTTM	✓


INFRASTRUCTURE/QUALITY CHECK



Steel/Plastic Stretching



Temperature Test



Torque Test



Corrosion Test

DIC - UAE
DEDICATED IMPEX FZE

B.C. 1303260, Ajman Free Zone,
P.O. BOX: 47359, Ajman, UAE

info@dic-oiltools.com
(+971) 556721577



WE EXPORT WORLDWIDE

We Provide Innovative Solutions for Oil & Gas Industry